

# Conversion Factors

Multiply	By	To Obtain	Multiply	By	To Obtain
<b>Temperature</b>			<b>Weight</b>		
°Fahrenheit (F) + 459.72	1	°F Absolute, or Rankine	Milligrams	2.2046 x 10 <sup>-6</sup>	Pounds (avoirdupois)
°Fahrenheit (F) - 32	0.555	°Celsius (C)		3.5274 x 10 <sup>-5</sup>	Ounces (avoirdupois)
°Celsius (C) + 273.16	1	°C Absolute, or Kelvin (K)		0.01543	Grains
°Celsius (C) + 17.78	1.8	°Fahrenheit (F)		1 x 10 <sup>-6</sup>	Kilograms
°Rankine (R) - 459.72	1	°Fahrenheit (F)	Micrograms	1 x 10 <sup>-6</sup>	Grams
°Kelvin (K) - 273.16	1	°Celsius (C)	Grams	0.00220	Pounds (avoirdupois)
				0.03527	Ounces (avoirdupois)
				15.432	Grains
<b>Density</b>					
Grams per cubic centimeter	62.428	Pounds per cubic foot		1 x 10 <sup>6</sup>	Micrograms
	0.03613	Pounds per cubic inch	Kilograms	0.00110	Tons (short)
	8.345	Pounds per U.S. gallon		2.2046	Pounds (avoirdupois)
Gram moles of Ideal Gas @ 0°C and 760 mm Hg	22.4140	Liters		35.274	Ounces (avoirdupois)
Pounds per cubic inch	1728	Pounds per cubic foot	Grains	1.5432 x 10 <sup>4</sup>	Grains
	27.68	Grams per cubic centimeter		1.4286 x 10 <sup>-4</sup>	Pounds (avoirdupois)
Pound moles of Ideal Gas @ 0°C and 760 mm Hg	359.05	Cubic feet	Ounces (avoirdupois)	0.00229	Ounces (avoirdupois)
				0.06480	Grams
				64.799	Milligrams
				3.1250 x 10 <sup>-5</sup>	Tons (short)
				0.06250	Pounds (avoirdupois)
				437.50	Grains
<b>Volume</b>					
Barrels	42	Gallons (Oil)		28.350	Grams
	31.5	Gallons	Pounds (avoirdupois)	5 x 10 <sup>-4</sup>	Tons (short)
Cubic centimeters	10 <sup>-3</sup>	Liters		16	Ounces (avoirdupois)
	0.0610	Cubic inches		7000	Grains
Cubic feet	28317	Cubic centimeters		0.45359	Kilograms
	1728	Cubic inches		453.59	Grams
	0.02832	Cubic meters	Tons (short, U.S.)	2000	Pounds (avoirdupois)
	0.03704	Cubic yards		3.200 x 10 <sup>4</sup>	Ounces (avoirdupois)
	7.481	Gallons		907.19	Kilograms
	28.32	Liters	Tons (long)	2240	Pounds (avoirdupois)
Cubic inches	16.387	Cubic centimeters		1016	Kilograms
	0.01639	Liters	Tons (metric)	1000	Kilograms
	4.329 x 10 <sup>-3</sup>	Gallons		2205	Pounds (avoirdupois)
	0.01732	Quarts (liquid)		1.102	Tons (short)
Gallons, Imperial	277.4	Cubic inches			
	1.201	U.S. gallons	<b>Viscosity (Absolute)</b>		
	4.546	Liters	Poise	1	gm./cm. sec.
Gallons, U.S. (liquid)	231	Cubic inches		1	dyne sec./cm. <sup>2</sup>
	0.1337	Cubic feet		100	Centipoise
	3.785	Liters	Centipoise	0.000672	lb./ft. sec.
	0.8327	Imperial gallons		0.0000209	lb. sec./ft. <sup>2</sup>
	128	Fluid ounces		2.42	lb./ft. hr.
Ounces (fluid)	29.57	Cubic centimeters			
	1.805	Cubic inches	<b>Viscosity (Kinematic)</b>		
	0.2642	Gallons	Stoke	1	cm. <sup>2</sup> /sec.
	0.0353	Cubic feet		0.155	in. <sup>2</sup> /sec.
	1.0567	Quarts		0.001076	ft. <sup>2</sup> /sec.
	61.025	Cubic inches			
Quarts, U.S. (liquid)	0.0334	Cubic feet			
	57.749	Cubic inches			
	0.9463	Liters			

# Conversion Factors continued

Multiply	By	To Obtain	Multiply	By	To Obtain
<b>Velocity</b>			<b>Length</b>		
Feet per minute	0.01136	Miles per hour	Angstrom units	1 x 10 <sup>-10</sup>	Meters
	0.01829	Kilometers per hour		3.9370 x 10 <sup>-9</sup>	Inches
	0.5080	Centimeters per second		1 x 10 <sup>-4</sup>	Microns
	0.01667	Feet per second		1 x 10 <sup>-8</sup>	Centimeters
Feet per second	0.6818	Miles per hour		0.1	Millimicrons
	1.097	Kilometers per hour	Millimicrons	1 x 10 <sup>-9</sup>	Meters
	30.48	Centimeters per second		1 x 10 <sup>-7</sup>	Centimeters
	0.3048	Meters per second		10	Angstrom units
	0.5921	Knots	Microns (um)	3.9370 x 10 <sup>-5</sup>	Inches
Knots	1	Nautical miles per hour		1 x 10 <sup>-6</sup>	Meters
	1.6889	Feet per second		1 x 10 <sup>-4</sup>	Centimeters
	1.1515	Miles per hour		1 x 10 <sup>4</sup>	Angstrom units
	1.8532	Kilometers per hour	Millimeters	0.03937	Inches (US)
	0.5148	Meters per second		1000	Microns
Meters per second	3.281	Feet per second	Centimeters	0.39370	Inches (US)
	2.237	Miles per hour		1 x 10 <sup>4</sup>	Microns (um)
	3.600	Kilometers per hour		1 x 10 <sup>7</sup>	Millimicrons
Miles per hour	1.467	Feet per second		1 x 10 <sup>8</sup>	Angstrom units
	0.4470	Meters per second	Meters	6.2137 x 10 <sup>-4</sup>	Miles (statute)
	1.609	Kilometers per hour		1.0936	Yards (US)
	0.8684	Knots		39.370	Inches (US)
				1 x 10 <sup>9</sup>	Millimicrons
<b>Area</b>			Kilometers	0.53961	Miles (nautical)
Square millimeters	0.00155	Square inches		0.62137	Miles (statute)
	1 x 10 <sup>-6</sup>	Square meters		1093.6	Yards
	0.01	Square centimeters		2280.8	Feet
	1.2732	Circular millimeters	Inches (US)	0.02778	Yards
Square centimeters	1.1960 x 10 <sup>-4</sup>	Square yards		2.5400	Centimeters
	0.00108	Square feet		2.5400 x 10 <sup>8</sup>	Angstrom units
	0.15500	Square inches	Feet (US)	0.30480	Meters
	1 x 10 <sup>-4</sup>	Square meters		30.480	Centimeters
	100	Square millimeters	Yards (US)	5.6818 x 10 <sup>-4</sup>	Miles
Square kilometers	0.38610	Square miles (US)		0.91440	Meters
	1.1960 x 10 <sup>6</sup>	Square yards		91.440	Centimeters
	1.0764 x 10 <sup>7</sup>	Square feet	Miles (nautical)	1.1516	Statute miles
	1 x 10 <sup>6</sup>	Square meters		2026.8	Yards
	247.10	Acres (US)		1.8533	Kilometers
Square inches (US)	0.00694	Square feet	Miles (US statute)	320	Rods
	0.00077	Square yards		0.86836	Nautical miles
	6.4516 x 10 <sup>-4</sup>	Square meters		1.6094	Kilometers
	6.4516	Square centimeters		1609.4	Meters
Square feet (US)	3.5870 x 10 <sup>-8</sup>	Square miles			
	0.11111	Square yards	<b>Thermal Conductivity</b>		
	144	Square inches	BTU/(hr.)(ft.2)		
	0.09290	Square meters	(°F/ft.)	0.00413	cal/sec. (cm.2)(°C/cm.)
	929.03	Square centimeters		12	BTU/(hr.)(ft.2)(°F/in.)
	2.2957 x 10 <sup>-5</sup>	Acres		0.0173	Watts/(cm.2)(°C/cm.)
Square miles	640	Acres			
	3.0967 x 10 <sup>6</sup>	Square yards			
	2.7878 x 10 <sup>7</sup>	Square feet			
	2.5900	Square kilometers			
	2.5900 x 10 <sup>8</sup>	Square meters			

# Conversion Factors continued

Multiply	By	To Obtain	Multiply	By	To Obtain
<b>Pressure</b>			<b>Flow</b>		
Atmospheres	760	Millimeters of Mercury	Barrels per hour	0.0936	Cubic feet per minute
	29.921	Inches of Mercury		5.615	Cubic feet per hour
	33.93	Feet of Water		0.700	Gallons (US) per minute
	10332	kg./m. <sup>2</sup>		42.00	Gallons (US) per hour
	14.696	lbs./sq. in. (psi)		2.650	Liters per minute
	2216.2	lbs./sq. ft.		158.984	Liters per hour
	1.0133	Bars	Cubic Centimeters		
	1.0332	kg./cm. <sup>2</sup>	per second	0.001	Liters per second
Centimeters of Mercury	5.3524	Inches of Water		0.060	Liters per minute
	0.4460	Feet of Water		0.00212	Cubic feet per minute
	0.1934	lbs./sq. in. (psi)	Cubic Feet per minute	471.70	Cubic centimeters/second
	27.854	lbs./sq. ft.		1.699	Cubic meters per hour
	135.95	kg./m. <sup>2</sup>		0.000472	Cubic meters per second
Feet of Water	0.02947	Atmospheres		0.12468	Gallons (US) per sec.
	0.4335	lbs./sq. in. (psi)		0.4719	Liters per second
	62.378	lbs./sq. ft.		28.316	Liters per minute
Inches of Mercury	0.03342	Atmospheres	Liters per minute	2.119	Cubic feet per hour
	13.60	Inches of Water		0.0600	Cubic meters per hour
	1.133	Feet of Water		0.2642	Gallons (US) per minute
	0.4912	lbs./sq. in. (psi)	Cubic meters per hour	0.5886	Cubic feet per minute
	70.727	lbs./sq. ft.		16.666	Liters per minute
	345.32	kg./m. <sup>2</sup>		4.404	Gallons (US) per minute
Inches of Water	0.03609	lbs./sq. in. (psi)	Gallons (US) per minute	1.4286	Barrels per hour
	5.1981	lbs./sq. ft.		0.0631	Liters per second
	25.38	kg./m. <sup>2</sup>		0.2271	Cubic meters per hour
Kilograms per square centimeter (kg./cm. <sup>2</sup> )	0.9678	Atmospheres		0.1337	Cubic feet per minute
	14.22	lbs./sq. in. (psi)			
Kilograms per square meter (kg./m. <sup>2</sup> )	0.00142	lbs./sq. in. (psi)			
	0.20482	lbs./sq. ft.			
	0.00328	Feet of Water			
	0.1	gm./cm. <sup>2</sup>			
	9.80665	Pascals			
Kilopascals	0.00987	Atmospheres			
	0.29613	Inches of Mercury (60°F)			
	0.33456	Feet of Water (39.2°F)			
	101.97162	kg./m. <sup>2</sup>			
	0.14504	lbs./sq. in. (psi)			
	20.88543	lbs./sq. ft.			
	0.01000	Bars			
	0.01020	kg./cm. <sup>2</sup>			
Pounds per square inch (psi)	70.31	gm./cm. <sup>2</sup>			
	2.036	Inches of Mercury			
	2.311	Feet of Water			
	6.8948	Kilopascals			
Torr	0.001316	Atmospheres			
	0.001333	Bar			
	1000	Millitorr			
	1.333	Millibar			
	1000	Micron (Hg)			

# Conversion Factors continued

Concentration	
1,000,000 ppm	100%
100,000 ppm	10%
10,000 ppm	1%
1000 ppm	0.1%
100 ppm	0.01%
10 ppm	0.001%
1 ppm	0.0001%
1000 ppb	1 ppm
100 ppb	0.1 ppm
10 ppb	0.01 ppm
1 ppb	0.001 ppm
1000 ppt	0.001 ppm
100 ppt	0.0001 ppm
10 ppt	0.00001 ppm
1 ppt	0.000001 ppm
1000 ppt	1 ppb
100 ppt	0.1 ppb
10 ppt	0.01 ppb
1 ppt	0.001 ppb

Dew Point – Moisture	
Dew Point °F	Moisture ppm (vol/vol)
-130	0.1
-120	0.25
-110	0.63
-105	1.00
-104	1.08
-103	1.18
-102	1.29
-101	1.40
-100	1.53
-99	1.66
-98	1.81
-97	1.96
-96	2.15
-95	2.35
-94	2.54
-93	2.76
-92	3.00
-91	3.28
-90	3.53
-89	3.84
-88	4.15
-87	4.50
-86	4.78
-85	5.3
-84	5.7
-83	6.2
-82	6.6
-81	7.2
-80	7.8
-79	8.4
-78	9.1
-77	9.8
-76	10.5
-75	11.4
-74	12.3
-73	13.3
-72	14.3
-71	15.4
-70	16.6
-69	17.9
-68	19.2
-67	20.6
-66	22.1
-65	23.6
-64	25.6
-63	27.5
-62	29.4
-61	31.7
-60	34.0

SI Terms	
10 <sup>9</sup>	Giga
10 <sup>6</sup>	Mega
10 <sup>3</sup>	Kilo
10 <sup>2</sup>	Hecta
10 <sup>1</sup>	Deka
10 <sup>-1</sup>	Deci
10 <sup>-2</sup>	Centi
10 <sup>-3</sup>	Milli
10 <sup>-6</sup>	Micro
10 <sup>-9</sup>	Nano
10 <sup>-12</sup>	Pico
10 <sup>-15</sup>	Femto

International Units	
Kilogram, Force	9.8066 Newtons
Pascal	1 Newton/m <sup>2</sup>
Poundal	0.13825 Newton
Pound, Force	4.448 Newton
Dyne	1.00 x 10 <sup>-5</sup>

Physical Constants	
<b>Avogadro Constant (N<sub>A</sub>)</b>	
6.02252 x 10 <sup>23</sup> molecules/mole	
<b>Normal Volume of Ideal Gas at 0°C</b>	
1 atm. (Vol)	
22.4140 liters/g-mole	
<b>Gas Constant (R)</b>	
0.08205 liter atm./g-mole °K	
8.314 x 10 <sup>-7</sup> ergs/g-mole °K	
8.314 joules/g-mole °K	
1.987 cal/g-mole °K	
10.73 psia cu. ft./lb.-mole °R	

### The Industrial and Specialty Gas DATA BOOK from Air Liquide

Our compact data book contains detailed conversion factors based on standard industry references.

Contact your Air Liquide representative to obtain your copy.